Study	Sample	Results concerning mental health
Adiele, Davidson, Harlow,	70 incarcerated sex offenders	38% mood disorders, 34% anxiety disorders and 39 % substance
& del Busto (2012)	with pedophilia	disorders (all lifetime)
Hoyer, Kunst & Schmidt,	23 incarcerated sex offenders	53.3% social phobia (lifetime, groups were pooled for the analysis
(2001)	with pedophilia, 19 incarcerated	because they did not differ with regard to results in standard
	sex offenders with sexual sadism	questionnaires for social anxiety)
Leue, Borchard, and	30 incarcerated sex offenders	93% comorbid axis I or personality disorder, 73% any anxiety dis
Hoyer (2004)	with a paraphilia (18 with	57% any substance use disorder, 30% mood disorder; among anxi
	pedophilia)	disorders, social phobia (38%) was most common (53%, all lifeting
Raymond et al. (1999)	45 incarcerated sex offenders	93% comorbid Axis-I disorder (lifetime), with mood (66.7%), and
	with pedophilia	(64.0%) and substance disorders (60.0%) being most prevalent; an
		anxiety disorders, social phobia (38%) was most common
Schaefer et al. (2010)	160 nonincarcerated people with	51.5% of undetected offenders with pedophilia have sought profes
	pedophilia from the Berlin	help in the past, 38.1% of nonoffenders with pedophilia have sough
	Prevention Project Dunkelfeld	professional help in the past